

stertil[®]

DOCK
P R O D U C T S

LOADING BAY DOCK ACCESSORIES



INCREASED SAFETY AND EFFICIENCY IN AND AROUND THE LOADING BAY

SUPERIOR SOLUTIONS FOR LOADING AND UNLOADING



International Specialist in Safe, Superior Quality Loading & Unloading Solutions

Stertil Dock Products provides quality, customised and technically advanced loading bay dock equipment solutions throughout the world. These superior solutions are designed, developed and manufactured in-house by a team of specialists with expertise in the loading bay equipment industry. Stertil Dock Products is represented internationally by local sales organisations, exclusive distributors and a network of qualified Stertil Dock Products Service partners. Stertil Dock Products is the No. 1 safety and quality specialist in loading bay dock equipment. A whole array of patented products is a result of more than 45 years of experience and a continued commitment to ensuring safety in and around the loading bay.

Stertil Dock Products offers a wide range of loading dock equipment accessories to complete your loading bay equipment requirements. Manufactured from high quality materials and very durable.

Dock Bumpers

Impact can be high resulting in damage when vehicles back onto loading bays. Even reinforced concrete bays are no guarantee for protection of the vehicle, the goods or the building. Dock bumpers are a small investment with a large return.

Polyethylene (PE) Bumpers

- Extremely durable
- Easily replaceable
- No extra drill holes
- Height adjustable version (PE-M) 248 mm vertical reach above mounting position
- Robust, weather resistant hot dip galvanised console frame
- High return on investment

Models:

- **PE fixed model** with dimensions 554 x 220 x 140 mm
- **PE-M height adjustable model** with dimensions 554 x 254 x 140 mm in lowest position and 811 x 254 x 173 mm in highest position



Rubber Bumpers

- Various shapes and dimensions
- Highly durable
- Good reduction of impact

Models:


- **R-30-20-10** rectangular LA Bumper 300 x 200 x 100 mm
- **R-45-20-5** rectangular 450 x 200 x 50 mm
- **R-45-20-10** rectangular 450 x 200 x 100 mm
- **R-45-20-15** rectangular 450 x 200 x 150 mm
- **R-45-25-10** rectangular 450 x 250 x 100 mm
- **L-45-45-10** L-shape 450 x 450 x 100 mm
- **B-54-21-17** moveable 540 x 210 x 170 mm



Heavy Duty (HD) Bumpers

High density bumpers available for the inflatable WI and sandwich panel WSP shelter to protect the side panels.

- High impact and robust design
- Fully galvanised and weather resistant
- Versatile, suitable for a wide range of projections



Galvanised Wheel Chocks

Prevents of vehicles rolling-away from the dock, robust galvanised wheel chocks. For ultimate safety, we would recommend one of the legendary COMBILOK® Automatic Vehicle Restraint Systems.



Galvanised Wheel Guides

- Optimal vehicle docking and correct positioning preventing dock and vehicle damage
- Increases safety during loading and unloading
- Rounded design to prevent tyre damage
- Easy installation with cast models available for concrete
- Low profile bolt down model available for small commercial vehicles and vans
- Model with standard black and traffic yellow Stertil chevron striping available for constant visibility and attention



The FLEXLED Energy Efficient LED Dock Light

- Being seen is being safe, excellent visibility during loading and unloading
- Easy positioning and convenience with hinged arm construction, the FLEXLED version also has a flexible goose neck
- Protected LED lamp, preventing contact
- Energy-saving long lifespan LED light source
- Easy to mount on building façade



LED Traffic Lights

- Excellent visibility for the vehicle driver with bigger than standard 100 mm lense diameter
- 24 Volt LED traffic light red/green
- Synchronisation possible between warehouse door and traffic light
- Manufactured from colour-fast polycarbonate so no fading in UV light
- Easily adjustable

The CYCLONE Ventilator

- Helps to improve the air circulation for warehouse personnel
- Professional powerful radial ventilator with adjustable hinged arm
- Compact, robust and durable housing
- Variety of speeds with 3-position switch
- Air Volume 2,800 m³/hour
- LED lighting for additional visibility for inside of the vehicle
- Ventilator and LED light can be used in combination or separately





Traffic Guidance Bollards

- Good for traffic flow regulation in restricted access areas
- Reduces risk of damage
- Increases efficiency for the loading and unloading process
- Compact and space-saving
- Galvanised and sturdy

Internal Safety Fence

- Hinders unwanted cross-traffic at the loading bay entrance
- Full protection of the warehouse door track system
- Robust, durable galvanised steel, available with yellow coating
- Optional control box panel fixtures



Control Panel Pedestals

- Effective and practical solution if control panels cannot be mounted to inside wall
- Robustly manufactured from galvanised steel
- Two models:
 - For one control box system 1278 mm x 340 mm x 280 mm
 - For two control box systems 1678 mm x 340 mm x 280 mm



More information

Please contact us for more information about the Stertil Dock Products accessories range or any other loading bay dock equipment solutions.



Stertil B.V.
P.O.Box 23
9288 ZG Kootstertille
The Netherlands
Tel. +31 (0)512 334444
www.stertil-dockproducts.com
dp@stertil.nl

[/Stertil-b-v-](#) [Stertil Dock Products](#)
[@Stertil](#) [Stertildock](#)

 a member of the Stertil Group